


### Scorecard for Accountability and Action



The entire population of Togo is at high risk of malaria. The annual reported number of malaria cases in 2019 was 2,406,091 and 1,275 deaths.

#### Metrics

Commodities Financed and Financial Control		
LLIN financing 2020 projection (% of need)		100
Public sector RDT financing 2020 projection (% of need)		100
Public sector ACT financing 2020 projection (% of need)		100
World Bank rating on public sector management and institutions 2019 (CPIA Cluster D)		3.1
Insecticide Resistance Monitoring, Implementation and Impact		
Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010	4	
Insecticide resistance monitored since 2015 and data reported to WHO		
National Insecticide Resistance Monitoring and Management Plan		
RDTs in stock (>9 months stock)	▼	
ACTs in stock (>9 months stock)	▲	
LLIN/IRS campaign on track	▲	
Country Reporting Launch of Zero Malaria Starts with Me Campaign		
Scale of Implementation of iCCM		
Operational LLIN/IRS coverage (% of at risk population)		100
On track to reduce case incidence by ≥40% by 2020 (vs 2015)		
On track to reduce case mortality by ≥40% by 2020 (vs 2015)		
Tracer Indicators for Maternal and Child Health and NTDs		
Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2019)	▼	77
Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2019)		64
Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2019)		48
% deliveries assisted by skilled birth attendant		45
Postnatal care (within 48 hrs)		71
Exclusive breastfeeding (% children < 6 months)		57
Vitamin A Coverage 2018 (2 doses)		89
DPT3 coverage 2019 (vaccination among 0-11 month olds)		84

#### Key

	Target achieved or on track
	Progress but more effort required
	Not on track
	No data
	Not applicable

## **Malaria**

### **Sustaining Essential Health Services During the COVID-19 Pandemic**

The COVID-19 pandemic is putting an incredible strain on health systems across Africa. Health systems are required to maintain routine health services for other illnesses even as they handle the additional burden. In order to prevent widespread morbidity and mortality, it is of vital importance that we work to sustain the delivery of essential life-saving interventions during this difficult time including for Reproductive, Maternal, Newborn, Adolescent and Child health, Neglected Tropical Diseases and malaria.

For Togo, it was of vital importance to ensure that the universal coverage campaign for long-lasting insecticidal nets (LLINs) scheduled for 2020 went ahead, whilst taking into account physical distancing, in accordance with the guidance and recommendations from WHO and the RBM Partnership to End Malaria. Without this campaign, coupled with the need to sustain essential health services including malaria case management and deliver seasonal malaria chemoprevention (SMC), there could be an increase in malaria cases and deaths. The country is congratulated for completing this campaign and carrying out the necessary SMC. Under the worst-case scenario, in which all ITN campaigns were suspended and with a 75% reduction in access to effective antimalarial medicines, WHO estimate that there could have been a 38% increase in malaria cases, and a 327% increase in malaria deaths in Togo. This scenario would represent a complete reversal in the substantial progress in malaria mortality reductions seen over the last 2 decades.

It is essential to ensure the continuity of malaria, RMNCAH and NTD services in 2021 as the COVID-19 pandemic continues to impact our continent. This may include the implementation of any necessary catch-up activities and ensuring timely planning to account for potential delays in procurement and delivery. Any intervention must ensure the safety of communities and health workers given the ease of transmission of COVID-19.

### **Progress**

Togo has secured sufficient resources to fund the LLINs, RDTs and ACTs required in 2019. The country has distributed sufficient LLINs to achieve 100% operational coverage of the targeted at risk population. Togo has finalised the national insecticide resistance monitoring and management plan and has reported the results of insecticide resistance monitoring and management plan. Togo has significantly enhanced the tracking and accountability mechanisms for malaria with the development of a Malaria Scorecard.

### **Impact**

The annual reported number of malaria cases in 2019 was 2,406,091 and 1,275 deaths.

### **Key Challenge**

- Sustaining the delivery of essential life-saving interventions during the COVID-19 pandemic including for Reproductive, Maternal, Newborn, Adolescent and Child health, malaria and Neglected Tropical Diseases.

## Previous Key Recommended Actions

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accomplishments since last quarterly report
Impact	Ensure that malaria services including case management and vector control are sustained and implemented whilst using COVID-19 sensitive guidelines during the pandemic	Q4 2020		Togo have continued case management and malaria prevention activities during the COVID-19 pandemic. The country has worked to address shortages of ACTs. Overall, visits to health centres have decreased. The country completed the planned rounds of SMC. The LLIN campaign was completed in Q4 2020
Vector control	Work to accelerate the LLIN campaign	Q1 2021		Togo successfully completed the LLIN campaign in November 2020

Togo has responded positively to the recommended action on monitoring national insecticide resistance and continues to track progress as this action is implemented.

## RMNCAH and NTDs

### Progress

Togo achieved high coverage of the tracer RMNCAH intervention exclusive breastfeeding and DPT3 vaccination, and has recently increased vitamin A coverage.

Progress in addressing Neglected Tropical Diseases (NTDs) in Togo is measured using a composite index calculated from preventive chemotherapy coverage achieved for lymphatic filariasis, onchocerciasis, trachoma, schistosomiasis, and soil transmitted helminths. Preventive chemotherapy coverage in Togo is high for lymphatic filariasis (100%), trachoma (100%), soil transmitted helminths (99%), onchocerciasis (83%) and low for schistosomiasis (34%). Overall, the NTD preventive chemotherapy coverage index for Togo in 2019 is 77, which represents a decrease compared with the 2018 index value (93).

## Previous Key Recommended Actions

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accomplishments since last quarterly report
RMNCAH <sup>1</sup> : Impact	Ensure that essential RMNCAH services are sustained and implemented whilst using Covid-19 sensitive guidelines during the pandemic. Address any stock-outs of essential RMNCAH commodities	Q4 2020		No progress reported





Togo has responded positively to the RMNCAH recommended action addressing low coverage of ARTs in children, with a 6% increase in coverage recently observed, and skilled birth attendants and continues to track progress as these actions are implemented.

<sup>1</sup> RMNCAH metrics, recommended actions and response tracked through WHO

## New Key Recommended Action

Objective	Action Item	Suggested completion timeframe
NTDs	Ensure that NTD interventions including Mass Drug Administration, vector control and Morbidity Management and Disability Prevention are sustained and implemented whilst using Covid-19 sensitive guidelines during the pandemic. This includes prioritising key necessary catch up activities	Q4 2021

### Key

	Action achieved
	Some progress
	No progress
	Deliverable not yet due