
# Cameroon ALMA Quarterly Report Quarter One, 2019



#### **Scorecard for Accountability and Action**



#### Metrics Commodities Financed and Financial Control 97 LLIN financing 2019 projection (% of need) Public sector RDT financing 2019 projection (% of 100 Public sector ACT financing 2019 projection (% of 100 need) World Bank rating on public sector management 3.0 and institutions 2017 (CPIA Cluster D) Insecticide Resistance Monitoring, Implementation and Impact Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010 Insecticide resistance monitored since 2015 and data reported to WHO National Insecticide Resistance Monitoring and Management Plan Scale of Implementation of iCCM (2017) Operational LLIN/IRS coverage (% of at risk population) Change in Estimated Malaria Incidence(2010-2017) Change in Estimated Malaria Mortality rate(2010-2017) Tracer Indicators for Maternal and Child Health and NTDs Mass Treatment Coverage for Neglected Tropical 83 Disease (NTD index, %)(2017) Estimated % of Total Population living with HIV who 49 have access to antiretroviral therapy (2017) Estimated % of children (0-14 years old) living with 25 HIV who have access to antiretroviral therapy (2017) % deliveries assisted by skilled birth attendant 65 Postnatal care (within 48 hrs) 65 Exclusive breastfeeding (% children < 6 months) 28 Vitamin A Coverage 2016 (2 doses) 55 DPT3 coverage 2017 (vaccination among 0-11 86 month olds)

Malaria transmission occurs year-round in Cameroon and is most intense in the south of the country. The annual reported number of malaria cases in 2017 was 2,488,993 with 3,195 deaths.

# Key



# Cameroon ALMA Quarterly Report Quarter One, 2019



### Malaria

#### **Progress**

Cameroon secured most of the resources to cover the costs of the LLINs, ACTs and RDTs needed in 2019. Cameroon has carried out insecticide resistance monitoring since 2015 and has reported the results to WHO. Cameroon has enhanced the tracking and accountability mechanisms for malaria with the development of a Malaria Control Scorecard. The country is also showing leadership in malaria control through its participation in the High Burden High Impact approach.

#### **Impact**

The annual reported number of malaria cases in 2017 was 2,488,993 with 3,195 deaths.

### **Key Challenge**

Insecticide resistance.

#### **Previous Key Recommended Actions**

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accompli shments since last quarterly report
Vector Control	Address the decreasing LLIN coverage	Q4 2019		3.5 million LLINs were delivered to the country in the last quarter of 2018
Impact	Investigate and address the reasons for the increase in estimated malaria incidence between 2010 and 2017	Q4 2019		Deliverable not yet due

# **RMNCAH and NTDs**

#### **Progress**

Progress in addressing Neglected Tropical Diseases (NTDs) in Cameroon is measured using a composite index calculated from preventive chemotherapy coverage achieved for lymphatic filariasis, onchocerciasis, schistosomiasis, soil transmitted helminths and trachoma. Preventive chemotherapy coverage in Cameroon is high for schistosomiasis (100%), trachoma (100%); soil transmitted helminths (85%); and good for onchocerciasis (71%) and lymphatic filariasis (60%). Overall, the NTD preventive chemotherapy coverage index for Cameroon in 2017 is 82 and this represents a substantial increase compared with the 2016 index value (58).

## **Previous Key Recommended Actions**

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accompli shments since last
RMNCAH <sup>1</sup> : Optimise	Investigate and address the reasons for the reported	Q2 2019		quarterly report  Deliverable not yet due
quality of care	decrease in Vitamin A coverage in 2016			due

The country has responded positively to previous recommended action on accelerating coverage of ARTs in the total population and in children under 14 years of age.

<sup>&</sup>lt;sup>1</sup> RMNCAH metrics, recommended actions and response tracked through WHO

