
# Madagascar ALMA Quarterly Report Quarter One, 2019




### **Scorecard for Accountability and Action**



LLIN financing 2019 projection (% of need)  Public sector RDT financing 2019 projection (% of need)  Public sector ACT financing 2019 projection (% of need)  World Bank rating on public sector management and institutions 2017 (CPIA Cluster D)  Insecticide Resistance Monitoring, Implementation and Impact  Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010  Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Commodities Financed and Financial Control		
Public sector RDT financing 2019 projection (% of need)  Public sector ACT financing 2019 projection (% of need)  World Bank rating on public sector management and institutions 2017 (CPIA Cluster D)  Insecticide Resistance Monitoring, Implementation and Impact Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010  Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
Public sector ACT financing 2019 projection (% of need)  World Bank rating on public sector management and institutions 2017 (CPIA Cluster D)  Insecticide Resistance Monitoring, Implementation and Impact Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010  Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	LLIN financing 2019 projection (% of need)		10
Public sector ACT financing 2019 projection (% of need)  World Bank rating on public sector management and institutions 2017 (CPIA Cluster D)  Insecticide Resistance Monitoring, Implementation and Impact Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010  Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Public sector RDT financing 2019 projection (% of		40
World Bank rating on public sector management and institutions 2017 (CPIA Cluster D)  Insecticide Resistance Monitoring, Implementation and Impact  Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010  Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)			10
World Bank rating on public sector management and institutions 2017 (CPIA Cluster D)  Insecticide Resistance Monitoring, Implementation and Impact Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010 Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  ### Continued of the continued of th	Public sector ACT financing 2019 projection (% of		10
Insecticide Resistance Monitoring, Implementation and Impact Insecticide Classes with mosquito resistance in representative sentinel sites confirmed since 2010 Insecticide resistance monitored since 2015 and data reported to WHO National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	need)		10
Insecticide Resistance Monitoring, Implementation and Impact Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010 Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			2.
Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010  Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)	and institutions 2017 (CPIA Cluster D)		
representative sentinel sites confirmed since 2010 Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	nsecticide Resistance Monitoring, Implementation a	nd	Impact
Insecticide resistance monitored since 2015 and data reported to WHO  National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
Autional Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	representative sentinel sites confirmed since 2010		
National Insecticide Resistance Monitoring and Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
Management Plan  Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	data reported to WHO	H	
Scale of Implementation of iCCM (2017)  Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
Operational LLIN/IRS coverage (% of at risk population)  Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	wanagement Plan	H	
Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Scale of Implementation of iCCM (2017)		
Change in Estimated Malaria Incidence(2010–2017)  Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Operational LLIN/IRS coverage (% of at risk		40
Change in Estimated Malaria Mortality rate(2010–2017)  Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	population)		10
Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Change in Estimated Malaria Incidence(2010–2017)		
Tracer Indicators for Maternal and Child Health and NTDs  Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Change in Estimated Malaria Mortality		
Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	rate(2010–2017)		
Disease (NTD index, %)(2017)  Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Tracer Indicators for Maternal and Child Health and I	NTE	)s
Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
have access to antiretroviral therapy (2017)  Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	Disease (NTD index, %)(2017)	Щ	
Estimated % of children (0–14 years old) living with HIV who have access to antiretroviral therapy (2017) % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
### HIV who have access to antiretroviral therapy (2017)  % deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)		H	
% deliveries assisted by skilled birth attendant  Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)			
Postnatal care (within 48 hrs)  Exclusive breastfeeding (% children < 6 months)	wito have access to affure it ovit at the tapy (2017)	Η	7-
Exclusive breastfeeding (% children < 6 months)	% deliveries assisted by skilled birth attendant		4
	Postnatal care (within 48 hrs)		
	102		
Vitamin A Coverage 2016 (2 doses)	Exclusive breastfeeding (% children < 6 months)		4
	Vitamin A Coverage 2016 (2 doses)		9
DPT3 coverage 2017 (vaccination among 0-11	NATO (100) AN		

Malaria transmission in Madagascar occurs all year round in the north of the country. The annual reported number of malaria cases in 2017 was 800,661 with 370 deaths.

### Key



## Madagascar ALMA Quarterly Report Quarter One, 2019



#### Malaria

#### **Progress**

Madagascar has carried out insecticide resistance monitoring since 2015 and has reported the results to WHO. The country has also recently finalised the insecticide resistance management and monitoring plan. Madagascar has secured the finances to sustain universal coverage of key anti-malaria interventions in 2019. The country has achieved universal operational coverage of vector control. Madagascar has significantly enhanced the tracking and accountability mechanisms for malaria with the development of a Malaria Control and Elimination Scorecard.

#### **Impact**

The annual reported number of malaria cases in 2017 was 800,661 with 370 deaths.

#### **Key Challenge**

• The increase in malaria incidence and mortality rates estimated by WHO between 2010 and 2017.

**Previous Key Recommended Action** 

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accomplishments since last quarterly report
Impact	Investigate and address the reasons for the increase in estimated malaria incidence between 2010 and 2017	Q4 2019		Deliverable not yet due

**New Key Recommended Action** 

Objective	Action Item	Suggested completion timeframe
Impact	Investigate and address the reasons for the increase in malaria cases	Q4 2019

## **RMNCAH and NTDs**

#### **Progress**

The country has made good progress on the tracer RMNCAH intervention vitamin A coverage. Madagascar has significantly enhanced the tracking and accountability mechanisms with the development of a Reproductive, Maternal, Newborn, Child and Adolescent Health Scorecard.

Progress in addressing Neglected Tropical Diseases (NTDs) in Madagascar is measured using a composite index calculated from preventive chemotherapy coverage achieved for lymphatic filariasis, schistosomiasis, and soil transmitted helminths. Preventive chemotherapy coverage in Madagascar is high for schistosomiasis (100%), good for soil transmitted helminths (65%), but very low for lymphatic filariasis (0%). Overall, the NTD preventive chemotherapy coverage index for Madagascar in 2017 is 9, which represents substantial decrease compared with the 2016 index value (58).

**Previous Key Recommended Actions** 

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accomplishments since last quarterly report
NTDs	Identify the reasons for the decrease in Preventive Chemotherapy (PC) coverage of Lymphatic Filariasis and work to address the causes of underperformance to achieve PC coverage at WHO recommended targets	Q4 2019		Madagascar has updated its Master Plan for the Control of Neglected Tropical Diseases whilst taking into account the country's initiative to accelerate the elimination of lymphatic filariasis by introducing ivermectin into the mass treatment. The five year plan will cover the years from 2019 to 2023. This year, there will be MDA including IDA (ivermectin, diethylcarbamazine citrate and albendazole) use in 7 health districts as a pilot. The NTD program is confident that the commitment from the state to deliver an appropriate budget line for the effective implementation of the new NTD master plan

Madagascar has responded positively to the RMNCAH recommended actions addressing low coverage of skilled birth attendants, low coverage of ARTs and lack of data for postnatal care and continues to track progress as these actions are implemented.

