


### Scorecard for Accountability and Action



Malaria transmission is most intense in the south whilst the desert areas in the north are malaria-free. The annual reported number of malaria cases in 2016 was 5,056,393 with 2,226 deaths.

#### Metrics

Commodities Financed and Financial Control	
LLIN financing 2018 projection (% of need)	100
Public sector RDT financing 2018 projection (% of need)	100
Public sector ACT financing 2018 projection (% of need)	100
World Bank rating on public sector management and institutions 2016 (CPIA Cluster D)	3.1
Insecticide Resistance Monitoring, Implementation and Impact	
Insecticide classes with mosquito resistance in representative sentinel sites confirmed since 2010	2
Insecticide resistance monitored since 2015 and data reported to WHO	
National Insecticide Resistance Monitoring and Management Plan	
Scale of implementation of ICCM (2017)	
Operational LLINIRS coverage (% of at risk population)	77
Reduced Malaria Incidence by >40% by 2020 (vs 2015) (projected)	
Tracer Indicators for Maternal and Child Health and NTDs	
Mass Treatment Coverage for Neglected Tropical Disease (NTD index, %)(2016)	1
Estimated % of Total Population living with HIV who have access to antiretroviral therapy (2016)	32
Estimated % of children (0-14 years old) living with HIV who have access to antiretroviral therapy (2016)	17
% deliveries assisted by skilled birth attendant	40
Postnatal care (within 48 hrs)	37
Exclusive breastfeeding (% children < 6 months)	23
Vitamin A Coverage 2015 (2 doses)	99
DPT3 coverage 2016 (vaccination among 0-11 month olds)	92

#### Key

	Target achieved or on track
	Progress but more effort required
	Not on track
	No data
	Not applicable

## **Malaria**

### **Progress**

Niger has mobilised the required financing to procure and distribute the LLINs, ACTs and RDTs required for 2018. Niger has completed the national insecticide resistance monitoring and management plan. The country has enhanced the tracking and accountability mechanisms for malaria with the development of the Malaria Control Scorecard.

### **Impact**

The annual reported number of malaria cases in 2016 was 5,056,393 with 2,226 deaths.

### **Previous Key Recommended Action**

Niger has responded positively to the recommended action addressing insecticide resistance monitoring.

### **New Key Recommended Action**

<b>Objective</b>	<b>Action Item</b>	<b>Suggested completion timeframe</b>
Vector Control	Address the decreasing coverage of vector control	Q1 2019

## **MNCH and NTDs**

### **Progress**

The country has achieved high coverage of the tracer MNCH interventions vitamin A and DPT3. The country has enhanced tracking and accountability mechanisms with the development of a Reproductive, Maternal, Newborn, Child and Adolescent Health Scorecard.

Progress in addressing Neglected Tropical Diseases (NTDs) in Niger is measured using a composite index calculated from preventive chemotherapy coverage achieved for lymphatic filariasis, schistosomiasis, soil transmitted helminths and trachoma. Preventive chemotherapy coverage in Niger is 52% for trachoma and is low for lymphatic filariasis (0%), schistosomiasis (0%) and soil transmitted helminths (0%). Overall, the NTD preventive chemotherapy coverage index for Niger in 2016 is below 1, which represents a decrease compared with the 2015 index value (11).

## Previous Key Recommended Actions

Objective	Action Item	Suggested completion timeframe	Progress	Comments - key activities/accomplishments since last quarterly report
MNCH <sup>1</sup> : Optimise quality of care	Work to accelerate coverage of ARTs in the total population and in children under 14 years of age	Q1 2017		Niger has increased ART coverage by 4% in the total population and reports 16% coverage in children. The country has supported the policy shift to Test-and-Treat all children and Option B+ for PMTCT. Niger is working to enhance community engagement, accelerate decentralisation of services and implement task-shifting whilst expanding the number of facilities offering testing and treatment services . The country has completed a scale up plan for ARTs and PMTCT
NTDs	Work to return the Preventive Chemotherapy coverage levels to those achieved in 2015	Q4 2018		In 2016, Niger delayed the implementation of Preventive Chemotherapy for Lymphatic Filariasis, Schistosomiasis and Soil Transmitted Helminths; and the reports were submitted late after the NTD coverage index was already calculated. Updated data indicate coverage as follows: Lymphatic Filariasis achieved 69.4% coverage, Schistosomiasis achieved 93.5% coverage, Soil Transmitted Helminths achieved 44.5% coverage and Trachoma achieved 52% coverage

Niger has responded positively to the MNCH recommended actions addressing low coverage of skilled birth attendants, postnatal care and exclusive breastfeeding, and continues to track progress as these actions are implemented. Coverage of skilled birth attendants has recently increased.

### Key

	Action achieved
	Some progress
	No progress
	Deliverable not yet due

<sup>1</sup> MNCH metrics, recommended actions and response tracked through WHO MCA